Wall Plates & Specialties

legrand®
Pass & Seymour

Molded of rugged .065" thick polycarbonate.

An extra 1/8" width and height than standard size wall plates for more tolerance in covering ragged sheet rock openings.

Seamless, sleek, super smooth construction provides no dirt-catching channel around plate's perimeter.

Oversized opening to accommodate all NEMA 26 decorator-style openings.

SWP26W

Automatic alignment pins ensure that devices are properly positioned so that wall plates fit perfectly.

Two-piece plastic subplate bridges recessed boxes and uneven sheet rock. Fixes floating installations.

Style	Page Number
Specifications & Dimensions	Q-2 – Q-4
Screwless Wall Plates	Q-5, Q-6
Studio Wall Plates	Q-7
Toggle Switch Openings	Q-8
Duplex Receptacle Openings & Decorator Openings	Q-9
Decorator Openings	Q-10
Blank Plates	Q-11, Q-12
Single Receptacle Openings & Power Outlet Openings	Q-13, Q-14
Combination Openings	Q-15 – Q-18
Despard® Openings	Q-19
Two Gang with Center Opening & Locking Switch Plates	Q-20
Louver & Biplex/Triplex Openings	Q-21
Junior-Jumbo & Jumbo Toggle, Duplex, Single Receptacle, Decorator, Blank & Combination Openings	Q-22 – Q-24
Sectional Wall Plates	Q-25
Tandem & Handy Box Plates	Q-26
Narrow Metal	Q-27
Dustproof Stainless Steel Covers	Q-28
Communication Devices & Plates	Q-29 – Q-34
Mounting Straps, Yokes & Jewels	Q-35
Decorator Hallway Lights & Combination Devices	Q-36
Decorator Combination Tamper-Resistant Nightlight/GFCI Receptacles	Q-37
PlugTail™ Nightlight/GFCI Receptacles	Q-38
Incandescent Lampholders, Neon Pilot Lights & Panelites	Q-39
Screws & Screwdrivers	Q-40
Engraved & Pad Printed	Q-41, Q-42
Custom Metal Wall Plates	Q-43 – Q-45
Custom Panel Plates	Q-46, Q-47
Style Selector Guide	Q-48 – Q-60

Devices & Wall Plates Color Selection Chart available on Pages A-29, B-78 and Q-61.

legrand®
Pass & Seymour

Wall Plates
Specifications

Thermoset
SP Series



Nylon
TP Series

Studio
Polycarbonate
WP Series

Screwless
Polycarbonate
SWP Series

Application

Legrand/Pass & Seymour's broad line of Standard Size Plastic and Metal Wall Plates features the most complete range of types, sizes, colors, and finishes available. Choose from more than 1,900 standard plates in non-combustible thermoset plastic material, self-extinguishing nylon material, screwless polycarbonate material, or attractively finished metal, for residential, commercial, institutional, and industrial applications. All plastic wall plates color match to Legrand/Pass & Seymour devices.

Thermoset Plastic Wall Plates

- Molded of non-combustible mar-proof material.
- Available in "SP" series in Standard, Junior-Jumbo, and Jumbo sizes.
- Seven standard colors available – Ivory, White, Brown, Gray, Black, Red, and Light Almond.
- Individually wrapped with color-matching screws.
- Resistant to discoloration, grease, oil, solvent and moisture.
- Nominal thickness, .070"

TradeMaster® Thermoplastic Wall Plates

- Molded of rugged, practically indestructible self-extinguishing nylon. ("TP" series only.)
- Available in "TP" series, extra 3/16" width and height than Standard size plates; and "TPJ" series, extra 3/16" width and height than Junior-Jumbo size plates.
- Available in Ivory, White, Brown, Gray, Black, Blue, Orange, Red, and Light Almond.
- Preferred for hospital, industrial, institutional, and other high-abuse applications.
- Nominal thickness, .070"

Studio Polycarbonate Wall Plates

- Wall plate and back plate made of polycarbonate Lexan 241R opaque.
- Wall plate thickness: 0.210
  Back plate thickness: 0.28

Screwless Polycarbonate Wall Plates

- Molded of .065" thick polycarbonate, matte finish.
- 2-piece plastic subplate made of polycarbonate.
- Extra 1/8" width and height than Standard size plates.
- Available in Ivory, White, Brown, Gray, Black, and Light Almond; and five metallic and three wood finishes.

Metal Wall Plates

- Constructed of corrosion-resistant stainless steel, brass, aluminum, chrome, brushed bronze or galvanized steel.
- Standard, Jumbo, and Tandem size plates available, as well as special Panel size plates up to 5-gangs high and 10-gangs wide.
- Packaged in protective film, with finish-matching screws.
- Variety of special plated finishes. Paintable to match plastic plates.
- Can be silk-screened or engraved, and custom punched with over 300 opening styles.

Materials

- Type 302 Stainless Steel, non-magnetic, .032" nominal thickness, brushed finish. This alloy contains 18% chromium and 8% nickel for superior resistance to corrosion. Recommended for use in food processing plants, dairies, chemical plants, and other industrial, institutional, and commercial applications where corrosive atmospheres exist.
- Type 430 Stainless Steel, magnetic, .032" nominal thickness, brushed finish. Less corrosion-resistant than Type 302, but ideal for general service in high abuse applications in industrial plants, commercial, and institutional buildings.
- Chrome, Brushed and Polished Brass, .040" thick. 70% copper, 30% zinc alloy gives warm, appealing finish to modern decor as well as retrofit applications. Lacquered to prevent corrosion.
- Aluminum, .040" thick. Lustrous satin finish. Lacquered to prevent corrosion.
- Galvanized Steel. Used only for Handy Box Plates.
- Brushed Bronze, .040" thick. 90% copper, 10% zinc. Lacquered to prevent corrosion.

302
Stainless Steel



Polished Brass

Brushed Brass

Aluminum

legrand®
Pass & Seymour

Standard Size Wall Plates

- Standard size wall plates for all applications.
- Best fit for surface mount boxes.
- Available in plastic and metal only.

Dimensions

1 gang	2.75" x 4.5"	**4 gang**	8.125" x 4.5"	**7 gang**	13.62" x 4.5"
2 gang	4.56" x 4.5"	**5 gang**	10" x 4.5"	**8 gang**	15.44" x 4.5"
3 gang	6.375" x 4.5"	**6 gang**	11.812" x 4.5"		



STANDARD

TradeMaster® Wall Plates

- Extra 3/16" width and height than Standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Available in unbreakable nylon 6 construction only.
- Screws pre-installed in the duplex, toggle, and decorator single gang plates.

Dimensions

1 gang	2.9375" x 4.6875"	**3 gang**	6.563" x 4.6875"	**5 gang**	10.188" x 4.6875"
2 gang	4.75" x 4.6875"	**4 gang**	8.375" x 4.6875"	**6 gang**	12" x 4.6875"



TRADEMASTER STANDARD

Studio Polycarbonate Wall Plates

- Wall plate and back plate made of polycarbonate Lexan 241R opaque.
- Wall plate thickness: 0.210
  Back plate thickness: 0.28

Wall Plate Dimensions				Back Plate Dimensions			
1 gang	2.988" x 4.901"	**3 gang**	6.613" x 4.901"	**1 gang**	3.158" x 4.97"	**3 gang**	6.783" x 4.97"
2 gang	4.80" x 4.901"	**4 gang**	8.425" x 4.901"	**2 gang**	4.97" x 4.97"	**4 gang**	8.595" x 4.97"



STUDIO



SCREWLESS

Screwless Polycarbonate Wall Plates

- Available in decorator, toggle, and duplex openings.
- Extra 1/8" width and height than Standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Molded of .065" thick polycarbonate.
- 2-piece plastic subplate made of polycarbonate.
- Available in five metallic and three wood finishes; and six standard colors.

Wall Plate Dimensions				Subplate Dimensions			
1 gang	3.10" x 4.87"	**3 gang**	6.724" x 4.87"	**1 gang**	2.85" x 4.62"	**3 gang**	6.474" x 4.62"
2 gang	4.912" x 4.87"	**4 gang**	8.536" x 4.87"	**2 gang**	4.662" x 4.62"	**4 gang**	8.286" x 4.62"



JUNIOR-JUMBO

Junior-Jumbo Wall Plates

- Extra 3/8" width and height than Standard size wall plates.
- Additional coverage for sheet rock gaps.
- Available in plastic and metal only.

Dimensions

1 gang	3.125" x 4.87"	**2 gang**	4.93" x 4.87"	**3 gang**	6.75" x 4.87"	**4 gang**	8.56" x 4.87"



TRADEMASTER JUMBO

TradeMaster Jumbo Wall Plates

- Extra 3/16" width and height than Junior-Jumbo size wall plates.
- Provide additional coverage for sheet rock gaps, matching the appearance of the TradeMaster Plates.
- Available in unbreakable nylon 6 construction only.
- Screws pre-installed in the duplex, toggle, and decorator single gang plates.

Dimensions

1 gang	3.3125" x 5.0625"	**3 gang**	6.9375" x 5.0625"
2 gang	5.125" x 5.0625"	**4 gang**	8.75" x 5.0625"



JUMBO

Jumbo Wall Plates

- Extra 3/4" width and height than Standard size wall plates.
- Largest size wall plates to cover larger wall damage.
- Available in plastic and metal only.

Dimensions

1 gang	3.5" x 5.25"	**2 gang**	5.31" x 5.25"	**3 gang**	7.12" x 5.25"	**4 gang**	8.93" x 5.25"

legrand®
Pass & Seymour

Wall Plates
Dimensions



CENTER PANEL | END PANEL

Sectional Wall Plates

- End and center panels with each of five most-used configurations make it possible to improvise custom wall plates on the job. Panels lock securely together on installation. Blank sections furnished with mounting strap.

Wall Plate Mountings

Illustrated are the five standard methods of plate mounting. There are many other non-standard methods which depend upon the special device used. Exact mounting hole specifications for every device appear in the Selector Guide.



Center | Strap | Box | Decorator and Interchangeable | FS (4 Screw)

Wall Plate Sizes



SP Plates



TP Plates



WP Plates | SWP Plates

Standard Size
Available in plastic and metal



Junior-Jumbo



Jumbo



TradeMaster® Size
Available in nylon only



TradeMaster Jumbo
Available in nylon only



Tandem Wall Plates



Metal only. Plate mounting dimensions are non-standard. Refer to Page Q-26 for details and devices that can be used.

For Studio (WP) Wall Plate & Back Plate dimensions refer to Page Q-3.

Screwless Wall Plate Plastic Subplate



For Screwless (SWP) Wall Plate dimensions refer to Page Q-3.

legrand®
Pass & Seymour

Wall Plates
Decorator Openings
Standard Size Plastic & Metal

Description	Color	Nylon TradeMaster® Plates	Thermoset Smooth	Metal Material	Metal Smooth
Decorator Openings					
Two Gang	Ivory	**TP262I**	**SP262I**		
	White	**TP262W**	**SP262W**	Aluminum	**SA262**
	Brown	**TP262**	**SP262**	Brass	**SB262**
	Gray	**TP262GRY**	**SP262GRY**	Polished Brass	**SB262PB**
	Black	**TP262BK**	**SP262BK**	430S/S	**SL262**
	Red	**TP262RED**		302S/S	**SS262**
	Light Almond	**TP262LA**	**SP262LA**		
	Blue	**TP262BL**			
	Orange	**TP262OR**			
Three Gang 	Ivory	**TP263I**	**SP263I**		
	White	**TP263W**	**SP263W**	Brass	**SB263**
	Brown	**TP263**		Polished Brass	**SB263PB**
	Gray	**TP263GRY**	**SP263GRY**		
	Black	**TP263BK**	**SP263BK**	302S/S	**SS263**
	Red	**TP263RED**			
	Light Almond	**TP263LA**	**SP263LA**		
Four Gang 	Ivory	**TP264I**	**SP264I**		
	White	**TP264W**	**SP264W**	Brass	**SB264**
	Brown	**TP264**	**SP264**	Polished Brass	**SB264PB**
	Gray	**TP264GRY**	**SP264GRY**		
	Black	**TP264BK**	**SP264BK**	302S/S	**SS264**
	Red	**TP264RED**			
	Light Almond	**TP264LA**	**SP264LA**		
Five Gang 	Ivory	**TP265I**	**SP265I**		
	White	**TP265W**	**SP265W**		
	Brown	**TP265**		302S/S	**SS265**
	Gray	**TP265GRY**	**SP265GRY**		
	Black	**TP265BK**	**SP265BK**		
	Red		**SP265RED**		
	Light Almond	**TP265LA**	**SP265LA**		
Six Gang 	Ivory	**TP266I**	**SP266I**		
	White	**TP266W**	**SP266W**		
	Brown	**TP266**	**SP266**	302S/S	**SS266**
	Gray	**TP266GRY**	**SP266GRY**		
	Black	**TP266BK**	**SP266BK**		
	Light Almond	**TP266LA**	**SP266LA**		
Seven Gang 				302S/S	**SS267**
				302S/S Painted Ivory	**SS267I**
				302S/S Painted White	**SS267W**
Eight Gang 				302S/S	**SS268**
				302S/S Painted Ivory	**SS268I**
				302S/S Painted White	**SS268W**

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Devices & Wall Plates
Color Selection Chart

legrand®
Pass & Seymour

Devices & Plastic Wall Plate Colors



Ivory | Light Almond | White | Green



Black | Blue | Brown | Gray | Orange | Red

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates



Metal Finish Aluminum | Brass (Brushed) | Polished Brass | Stainless Steel | Brushed Bronze | Chrome

Custom Metal Wall Plates Paint Finish Colors



Paint Color Orange | Green | Gray | Yellow | Glossy Black | Brown | White

Paint Color Primer | Red | Pink | Flat Black | Ivory | Light Almond | Blue

To order custom metal wall plates, see Pages Q-43 – Q-45.

For additional colors consult factory.