SAFETY DATA SHEET

Abena Puri-Line Dishwashing detergent

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Abena Puri-Line Dishwashing detergent

Product no.

1000013669

Unique formula identifier (UFI)

2E5S-QX9K-NTM8-R79M

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Flydende Maskinopvask

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

ABENA A/S
Egelund 35
DK-6200 Aabenraa
Denmark
Tel: +45 74 31 18 18
Fax: +45 74 62 97 37

E-mail

info@abena.dk

Revision

23/02/2024

SDS Version

2.0

Date of previous version

15/02/2024 (2.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1A; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)

Signal word

Danger

Hazard statement(s)
Causes severe skin burns and eye damage. (H314)

Precautionary statement(s)
General
If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)

Prevention
Do not breathe vapour/mist. (P260)
Wear eye protection/protective gloves. (P280)

Response
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage
Store locked up. (P405)

Disposal
Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances
disodium metasilicate
potassium hydroxide
sodium hydroxide

Additional labelling
UFI: 2E5S-QX9K-NTM8-R79M

Labelling of contents according to Detergents Regulation (EC) No 648/2004
< 5%
· Anionic surfactants

2.3. Other hazards
Additional warnings
This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances
Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
disodium metasilicate	CAS No.: 10213-79-3 EC No.: 229-912-9 UK-REACH: Index No.:	5-10%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	CAS No.: 164462-16-2 EC No.: 423-270-5 UK-REACH: Index No.:	5-10%	Met. Corr. 1, H290	
potassium hydroxide	CAS No.: 1310-58-3 EC No.: 215-181-3 UK-REACH: Index No.: 019-002-00-8	5-10%	Acute Tox. 4, H302 Skin Corr. 1A, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
sodium hydroxide	CAS No.: 1310-73-2 EC No.: 215-185-5	3-5%	Met. Corr. 1, H290 Skin Corr. 1A, H314 (SCL: 2.00 %)	

UK-REACH:	Skin Irrit. 2, H315 (SCL: 0.50 %)
Index No.: 011-002-00-6	Eye Irrit. 2, H319 (SCL: 0.50 %)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.
Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

▼Recommended storage material

Keep only in original packaging.

▼Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

potassium hydroxide
Short term exposure limit (15 minutes) (mg/m^3): 2

sodium hydroxide
Short term exposure limit (15 minutes) (mg/m^3): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

disodium metasilicate

Duration:	Route of exposure:	DNEL:

Long term – Systemic effects - General population	Dermal	0,74 mg/kg uge/dag
Long term – Systemic effects - Workers	Dermal	1,49 mg/kg uge/dag
Long term – Systemic effects - General population	Inhalation	1,55 mg/m3
Long term – Systemic effects - Workers	Inhalation	6,22 mg/m3
Long term – Systemic effects - General population	Oral	0,74 mg/kg uge/dag

potassium hydroxide

Duration:	**Route of exposure:**	**DNEL:**
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Local effects - Workers	Inhalation	1 mg/m3

sodium hydroxide

Duration:	**Route of exposure:**	**DNEL:**
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Local effects - Workers	Inhalation	1 mg/m3

Sodium N-lauroylsarcosinate

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - General population	Dermal	10 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	20 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	17.39 mg/m³
Long term – Systemic effects - Workers	Inhalation	70.53 mg/m³
Long term – Systemic effects - General population	Oral	10 mg/kg bw/day

PNEC

disodium metasilicate

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		7,5 mg/l
Marine water		1 mg/l
Sewage treatment plant		1000 mg/l

Sodium N-lauroylsarcosinate

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		8.91 µg/L
Freshwater sediment		64.2 µg/kg
Intermittent release (freshwater)		89.1 µg/L
Intermittent release (marine water)		8.91 µg/L
Marine water		891 ng/L
Marine water sediment		6.4 µg/kg
Sewage treatment plant		3 mg/L
Soil		7.6 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See

occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.
Ensure that eyewash stations and safety showers are located within easy reach.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
No specific requirements			

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388

Eye protection

Type	Standards
Safety glasses	EN166

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

None

pH

14

Density (g/cm^3)

1.25

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)
Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C)
Does not apply to liquids.
Boiling point (°C)
Testing not relevant or not possible due to the nature of the product.
Vapour pressure
Testing not relevant or not possible due to the nature of the product.
Relative vapour density
Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards
Flash point (°C)
Testing not relevant or not possible due to the nature of the product.
Flammability (°C)
Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.

Solubility
Solubility in water
Completely soluble
n-octanol/water coefficient (LogKow)
Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L)
Testing not relevant or not possible due to the nature of the product.

9.2. Other information
Other physical and chemical parameters
No data available.
Oxidizing properties
Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.
10.3. Possibility of hazardous reactions
None known.
10.4. Conditions to avoid
None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decomposition products
Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Oral

Test:	LD50
Result:	1152 - 1349 mg/kg ·

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Inhalation
Test:	LD50
Result:	> 2,06 g/m3 ·

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 5000 mg/kg ·

Product/substance	potassium hydroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	273 mg/kg ·

Product/substance	sodium hydroxide
Species:	Rabbit
Route of exposure:	Oral
Test:	LD50
Result:	325 mg/kg bw ·

Product/substance	Sodium N-lauroylsarcosinate
Test method:	OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>1-5 mg/L

Product/substance	Sodium N-lauroylsarcosinate
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	> 5000 mg/kg

Skin corrosion/irritation

Product/substance	Sodium N-lauroylsarcosinate
Test method:	OECD 405
Species:	Rabbit
Result:	Adverse effect observed (Irritating)

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	disodium metasilicate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	210 mg/l ·

Product/substance	disodium metasilicate
Species:	Daphnia
Duration:	96 hours
Test:	EC50
Result:	1700 mg/l ·

Product/substance	disodium metasilicate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	207 mg/l ·

Product/substance	potassium hydroxide
Species:	Daphnia
Duration:	48 hours
Test:	LC50
Result:	80000 ug/L ·

Product/substance	potassium hydroxide
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	80 mg/l ·

Product/substance	potassium hydroxide
Species:	Fish
Duration:	24 hours
Test:	LC50
Result:	165 mg/l ·

Product/substance	sodium hydroxide
Species:	Fish
Duration:	48 hours
Test:	LC50

Result:	189 mg/l ·

Product/substance	sodium hydroxide
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	40,4 mg/l ·

12.2. Persistence and degradability

Product/substance	potassium hydroxide
Conclusion:	Readily biodegradable

Product/substance	Sodium N-lauroylsarcosinate
Result:	82% (28d) - 67/548/EEG, bilag V, C.4.B
Conclusion:	Readily biodegradable
Test:	Weight of evidence

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance	disodium metasilicate
Conclusion:	No potential for bioaccumulation

Product/substance	potassium hydroxide
Conclusion:	No potential for bioaccumulation

Product/substance	Sodium N-lauroylsarcosinate
LogKow:	0,37
Conclusion:	-
Test:	QSAR

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)
HP 8 – Corrosive
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 29*	Detergents containing dangerous substances

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium metasilicate)	Transport hazard class: 8 Label: 8 Classification code: C5	III	No	Limited quantities: 5 L Tunnel restriction code: 3 (E) See below for additional information.
IMDG	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium metasilicate)	Transport hazard class: 8 Label: 8 Classification code: C5	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium metasilicate)	Transport hazard class: 8 Label: 8 Classification code: C5	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.
IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.
This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Anionic surfactants

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Tactile warning.
If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

,
H290, May be corrosive to metals.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H319, Causes serious eye irritation.
H335, May cause respiratory irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼The safety data sheet is validated by

AY

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en